Evolutionary Ecology, 1994, **8**, 688–695

Index to Volume 8 of Evolutionary Ecology

SUBJECT INDEX

accuracy of cue; protandry; evolutionary stable strategy; mixed strategy; stochastic environment emergence pattern; butterfly; mate-finding game; 503
age at maturity; growth; reproductive investment; life history theory; mortality; 315
age structure; population demography; microtines; population cycles; senescence; 196
aggression; resource holding potential; beetles; ESS; game theory; 230
alternative mating strategies; environmental variability; life history evolution; salmonid fish; phenotypic plasticity; 256
altruism; viscous population; kin selection; Hamilton's rule; relatedness; 70 Anacardiaceae; southeastern Spain; seed dispersal; avian frugivory; plant-animal interactions; 618
antipredatory adaptations; mating strategies; delay of breeding; *Clethrionomys glareolus*; vole cycles; 658
arms race; competition; contest; evolution of size; evolutionary stable strategy; extinction; frequency dependence; mathematical model; 667
Australian passerines; life-history strategies; co-adaptation; cooperative breeding; 471
avian frugivory; plant-animal interactions; Anacardiaceae; southeastern Spain; seed dispersal; 618

B chromosome; fitness; *Nasonia*; Paternal Sex Ratio; population genetics; selfish DNA; sperm competition; 1
bank vole; *Microtus* voles; least weasal; stoat; intra-individual trade-off; reproductive output; predation risk; 357
barrier island; short-grass steppe; spatial stimulation model; disturbance; long-distance clonal spreading; life history; grazing; 172
beak size; introgression; extinction; dietary specialization; Darwin's Finches; Hawaiian honeycreeper-finches; 598
beetles; ESS; game theory; agression; resource holding potential; 230
behavioural dominance; coordination; correlated strategy; social competition; 221
Bermuda; community structure; competition; nature preserves; ecomorphology; passeriforms; 53
birds; insects; constraints; flightlessness; wing dimorphism; phylogeny; evolution; 639
bottom-up effects; food chain; functional response; limit cycle; predator; prey; stability; top-down effects; trophic structure; 150
butterfly; mate-finding game; accuracy of cue; protandry; evolutionary stable strategy; mixed strategy; stochastic environment; emergence pattern; 503

Canada thistle; pollen limitation; tephritid; 188
Clethrionomys glareolus; vole cycles; antipredatory adaptations; mating strategies; delay of breeding; 658
climate; community species richness; landscape species richness; latitudinal gradient; mean similarity; mosaic diversity; 331
co-adaptation; cooperative breeding; Australian passerines; life-history strategies; 471
co-evolution; community structure; food web; ideal free distribution; scale eaters; 628
co-evolution; gene for gene; pathogens; recombination; Red Queen hypothesis; sex; 560
colicin; competition; migration; reaction-diffusion; plasmid; 369
community; habitat habitat selection; ideal free distribution; isodar; landscape; population regulation; 387
community species richness; landscape species richness; latitudinal gradient; mean similarity; mosaic diversity; climate; 331
community structure; competition; nature preserves; ecomorphology; passeriforms; Bermuda; 53
community structure; food web; ideal free distribution; scale eaters; co-evolution; 628

competition; contest; evolution of size; evolutionary stable strategy; extinction; frequency dependence; mathematical model; 667
competition; migration; reaction-diffusion; plasmid; colicin; 369
competition; nature preserves; ecomorphology; passeriforms; Bermuda; community structure; 53
competition; ecological stencil; epidemic; parasitism; spatial model; 299
constitutive defence; induced defence; stochastic risk; mathematical model; optimal plant defence; 288
constraints; flightlessness; wing dimorphism; phylogeny; evolution; birds; insects; 639
contest; evolution of size; evolutionarily stable strategy; extinction; frequency dependece; mathematical model; arms race; competition; contest; 667
convergence; ecomorphology; leg structure; foraging behaviour; *Parus caeruleus*; 25
cooperative breeding; Australian passerines; life-history strategies; co-adaptation; 471
coordination; correlated strategy; social competition; behavioural dominance; 221
correlated strategy; social competition; behavioural dominance; coordination; 221
Cuscuta europaea; inter-ramet distance; stolon length; 459

daily routine; digestion; starvation; predation; reserves; foraging; 36
Darwin's Finches; Hawaiian honeycreeper-finches; beak size; introgression; extinction; dietary specialization; 598
delay of breeding; *Clethrionomys glareolus*; vole cycles; antipredatory adaptations; mating strategies; 658
density-dependent selection; Odonata; polymorphism; 328
diet choice; initial population density; optimal foraging; predator-prey systems; 407
dietary specialization; Darwin's Finches; Hawaiian honeycreeper-finches; beak size; introgression; extinction; 598
digestion; starvation; predation; reserves; foraging; daily routine; 36
disease; herbivory; quantitative genetics; genetic polymorphism; epidemiology; 74
disturbance; long-distance clonal spreading; life history; grazing; barrier island; short-grass steppe; spatial stimulation model; 172
drift; selection; migration rate; population differentiation; 489

ecological stencil; epidemic; parasitism; spatial model; competition; 299
ecomorphology; passeriforms; Bermuda; community structure; competition; nature preserves; 53
ecomorphology; leg structure; foraging behaviour; *Parus caeruleus*; convergence; 25
emergence pattern; butterfly; mate-finding game; accuracy of cue; protandry; evolutionary stable strategy; mixed strategy; stochastic environment; 503
endogenous rhythms; juvenile plaice; *Pleuronectes platessa*; optimal foraging theory; feeding behaviour; migration; 125
energetic stress; European nuthatch; feather growth; fluctuating asymmetry; intake rate; signalling; *Sitta europaea*; 248
environmental gradient; fitness; lactose operon; *Escherichia coli*; 524
environmental variability; life history evolution; salmonid fish; phenotypic plasticity; alternative mating strategies; 256
epidemic; parasitism; spatial model; competition; ecological stencil; 299
epidemiology; disease; herbivory; quantitative genetics; genetic polymorphism; 74
Escherichia coli; environmental gradient; fitness; lactose operon; 524
ESS; game theory; agression; resource holding potential; beetles; 230
ESS; parent-offspring conflict; insect larvae; war of attrition; migration; 269
European nuthatch; feather growth; fluctuating asymmetry; intake rate; signalling a; *Sitta europaea*; energetic stress; 248
evolution; birds; insects; constraints; flightlessness; wing dimorphism; phylogeny; 639
evolution of size; evolutionary stable strategy; extinction; frequency dependence; mathematical model; arms race; competition; contest; 667
evolutionarily stable strategy; extinction; frequency dependence; mathematical model; arms race; contest; competition; evolution of size; 667

evolutionary stable strategy; mixed strategy; stochastic environment; emergence pattern; butterfly; mate-finding game; accuracy of cue; protandry; 503
evolutionary tempo and mode; paleocology; macroevolution; speciation; 95
extinction; frequency dependence; mathematical model; arms race; competition; contest; evolution of size; evolutionarily stable strategy; 667
extinction; metapopulation; tidepool copepods; *Tigriopus californicus*; genetic differentiation; 113
extinction; dietary specialization; Darwin's Finches; Hawaiian honeycreeper-finches; beak size; introgression; 598

feather growth; fluctuating asymmetry; intake rate; signalling; *Sitta europaea*; energetic stress; European nuthatch; 248
feeding behaviour; migration; endogenous rhythms; juvenile plaice; *Pleuronectes platessa*; optimal foraging theory; 125
fitness; *Nasonia*; Paternal Sex Ratio; population genetics; selfish DNA; sperm competition; B chromosome; 1
fitness; lactose operon; *Escherichia coli*; environmental gradient; 524
flightlessness; wing dimorphism; phylogeny; evolution; birds; insects; constraints; 639
floral evolution; *Lupinus sericeus*; male function; pollen dispersal; pollen removal; sexual strategies; 542
fluctuating asymmetry; intake rate; signalling; *Sitta europaea*; energetic stress; European nuthatch; feather growth; 248
food chain; functional response; limit cycle; predator; prey; stability; top-down effects; trophic structure; bottom-up effects; 150
food web; ideal free distribution; scale eaters; co-evolution; community structure; 628
foraging; daily routine; digestion; starvation; predation; reserves; 36
foraging behaviour; *Parus caeruleus*; convergence; ecomorphology; leg structure; 25
foraging behaviour; mortality risks; *Lysphlebus cardui*; *Triorys angelicae*; parasitoids; 587
frequency dependence; mathematical model; arms race; competition; contest; evolution of size; evolutionarily stable strategy; extinction; 667
functional response; limit cycle; predator; prey; stability; top-down effects; trophic structure; bottom-up effects; food chain; 150

game theory; agression; resource holding potential; beetles; ESS; 230
game theory; inclusive fitness; tit for tat; outlaw gene; 431
gecko; parthenogen; sex; *Lepidodactylus*; 438
gene for gene; pathogens; recombination; Red Queen hypothesis; sex; co-evolution; 560
genetic differentiation; extinction; metapopulation; tidepool copepods; *Tigriopus californicus*; 113
genetic polymorphism; epidemiology; disease; herbivory; quantitative genetics; 74
grazing; barrier island; short-grass steppe; spatial stimulation model; disturbance; long-distance clonal spreading; life history; 172
growth; reproductive investment; life history theory; mortality; age at maturity; 315

habitat habitat selection; ideal free distribution; isodar; landscape; population regulation; community; 387
habitat selection; ideal free distribution; isodar; landscape; population regulation; community; habitat; 387
Hamilton's rule; relatedness; altruism; viscous population; kin selection; 70
haplodiploid; inclusive fitness; one-locus genetic; sibmating; inbreeding depression; 61
Hawaiian honeycreeper-finches; beak size; introgression; extinction; dietary specialization; Darwin's Finches; 598
herbivory; quantitative genetics; genetic polymorphism; epidemiology; disease; 74

ideal free distribution; isodar; landscape; population regulation; community; habitat habitat selection; ideal free distribution; scale eaters; co-evolution; community structure; food web; 628
inbreeding depression; haplodiploid; inclusive fitness; one-locus genetic; sibmating; 61

inclusive fitness; tit for tat; outlaw gene; game theory; 431
inclusive fitness; one-locus genetic; sibmating; inbreeding depression; haplodiploid; 61
induced defence; stochastic risk; mathematical model; optimal plant defence; constitutive defence; 288
initial population density; optimal foraging; predator-prey systems; diet choice; 407
insect larvae; war of attrition; migration; ESS; parent-offspring conflict; 269
insects; constraints; flightlessness; wing dimorphism; phylogeny; evolution; birds; 639
intake rate; signalling; *Sitta europaea*; energetic stress; European nuthatch; feather growth; fluctuating asymmetry; 248
inter-ramet distance; stolon length; *Cuscuta europaea*; 459
intra-individual trade-off; reproductive output; predation risk; bank vole; *Microtus* voles; least weasal; stoat; 357
introgression; extinction; dietary specialization; Darwin's Finches; Hawaiian honeycreeper-finches; beak size; 598
isodar; landscape; population regulation; community; habitat habitat selection; ideal free distribution; 387

juvenile plaice; *Pleuronectes platessa*; optimal foraging theory; feeding behaviour; migration; endogenous rhythms; 125

kin selection; Hamilton's rule; relatedness; altruism; viscous population; 70

lactose operon; *Escherichia coli*; environmental gradient; fitness; 524
landscape; population regulation; community; habitat habitat selection; ideal free distribution; isodar; 387
landscape species richness; latitudinal gradient; mean similarity; mosaic diversity; climate; community species richness; 331
latitudinal gradient; mean similarity; mosaic diversity; climate; community species richness; landscape species richness; 331
least weasal; stoat; intra-individual trade-off; reproductive output; predation risk; bank vole; *Microtus* voles; 357
leg structure; foraging behaviour; *Parus caeruleus*; convergence; ecomorphology; 25
Lepidooacrylus; gecko; parthenogen; sex; 438
life history; grazing; barrier island; short-grass steppe; spatial stimulation model; disturbance; long-distance clonal spreading; 172
life history evolution; salmonid fish; phenotypic plasticity; alternative mating strategies; environmental variability; 256
life history theory; mortality; age at maturity; growth; reproductive investment; 315
life-history strategies; co-adaptation; cooperative breeding; Australian passerines; 471
limit cycle; predator; prey; stability; top-down effects; trophic structure; bottom-up effects; food chain; functional response; 150
long-distance clonal spreading; life history; grazing; barrier island; short-grass steppe; spatial stimulation model; disturbance; 172
Lupinus sericeus; male function; pollen dispersal; pollen removal; sexual strategies; floral evolution; 542
Lysphlebus cardui; *Trioxys angelicae*; parasitoids; foraging behaviour; mortality risks; 587

macroevolution; speciation; evolutionary tempo and mode; paleocology; 95
male function; pollen dispersal; pollen removal; sexual strategies; floral evolution; *Lupinus sericeus*; 542
mate-finding game; accuracy of cue; protandry; evolutionary stable strategy; mixed strategy; stochastic environment; emergence pattern; butterfly; 503
mathematical model; arms race; competition; contest; evolution of size; evolutionarily stable strategy; extinction; frequency dependence; mathematical model; 667
mathematical model; optimal plant defence; constitutive defence; induced defence; stochastic risk; 288
mating strategies; delay of breeding; *Clethrionomys glareolus*; vole cycles; antipredatory adaptations; 658
mating success; nuptial coloration; parasites; sticklebacks; 348

mean similarity; mosaic diversity; climate; community species richness; landscape species richness; latitudinal gradient; 331
metapopulation; tidepool copepods; *Tigriopus californicus*; genetic differentiation; extinction; 113
microtines; population cycles; senescence; age structure; population demography; 196
Microtus voles; least weasal; stoat; intra-individual trade-off; reproductive output; predation risk; bank vole; 357
migration; ESS; parent-offspring conflict; insect larvae; war of attrition; 269
migration; reaction-diffusion; plasmid; colicin; competition; 369
migration; endogenous rhythms; juvenile plaice; *Pleuronectes platessa*; optimal foraging theory; feeding behaviour; 125
migration rate; population differentiation; drift; selection; 489
mixed strategy; stochastic environment; emergence pattern; butterfly; mate-finding game; accuracy of cue; protandry; evolutionary stable strategy; 503
mortality; age at maturity; growth; reproductive investment; life history theory; 315
mortality risks; *Lysphlebus cardui*; *Trioxys angelicae*; parasitoids; foraging behaviour; 587
mosaic diversity; climate; community species richness; landscape species richness; latitudinal gradient; mean similarity; 331
mosquitoes; *Wyeomyia smithii*; optimal offspring distribution; oviposition behaviour; pitcher plant; 493
mother's control; seed dormancy; sib competition; viscous populations; 422

Nasonia; Paternal Sex Ratio; population genetics; selfish DNA; sperm competition; B chromosome; fitness; 1
nature preserves; ecomorphology; passeriforms; Bermuda; community structure; competition; 53
nuptial coloration; parasites; sticklebacks; mating success; 348

Odonata; polymorphism; density-dependent selection; 328
one-locus genetic; sibmating; inbreeding depression; haplodiploid; inclusive fitness; 61
optimal foraging; predator-prey systems; diet choice; initial population density; 407
optimal foraging theory; feeding behaviour; migration; endogenous rhythms; juvenile place; *Pleuronectes platessa*; 125
optimal offspring distribution; oviposition behaviour; pitcher plant; mosquitoes; *Wyeomyia smithii*; 493
optimal plant defence; constitutive defence; induced defence; stochastic risk; mathematical model; 288
outlaw gene; game theory; inclusive fitness; tit for tat; 431
oviposition behaviour; pitcher plant; mosquitoes; *Wyeomyia smithii*; optimal offspring distribution; 493

paleocology; macroevolution; speciation; evolutionary tempo and mode; 95
parasites; sticklebacks; mating success; nuptial coloration; 348
parasitism; spatial model; competition; ecological stencil; epidemic; 299
parasitoids; foraging behaviour; mortality risks; *Lysphlebus cardui*; Trioxys angelicae; 587
parent-offspring conflict; insect larvae; war of attrition; migration; ESS; 269
parthenogen; sex; *Lepidodactylus*; gecko; 438
Parus caeruleus; convergence; ecomorphology; leg structure; foraging behaviour; 25
passeriforms; Bermuda; community structure; competition; nature preserves; ecomorphology; 53
Paternal Sex Ratio; population genetics; selfish DNA; sperm competition; B chromosome; fitness; *Nasonia*; 1
pathogens; recombination; Red Queen hypothesis; sex; co-
evolution; gene for gene; 560
phenotypic plasticity; alternative mating strategies; environmental variability; life history evolution; salmonid fish; 256
phylogeny; evolution; birds; insects; constraints; flightlessness; wing dimorphism; 639
pitcher plant; mosquitoes; *Wyeomyia smithii*; optimal offspring distribution; oviposition behaviour; 493
plant-animal interactions; Anacardiaceae; southeastern Spain; seed dispersal; avian frugivory; 618

plasmid; colicin; competition; migration; reaction-diffusion; 369
Pleuronectes platessa; optimal foraging theory; feeding behaviour; migration; endogenous rhythms; juvenile plaice; 125
pollen dispersal; pollen removal; sexual strategies; floral evolution; *Lupinus sericeus*; male function; 542
pollen limitation; tephritid; Canada thistle; 188
pollen removal; sexual strategies; floral evolution; *Lupinus sericeus*; male function; pollen dispersal; 542
polymorphism; density-dependent selection; Odonata; 328
population cycles; senescence; age structure; population demography; microtines; 196
population demography; microtines; population cycles; senescence; age structure; 196
population differentiation; drift; selection; migration rate; 489
population genetics; selfish DNA; sperm competition; B chromosome; fitness; *Nasonia*; Paternal Sex Ratio; 1
population regulation; community; habitat habitat selection; ideal free distribution; isodar; landscape; 387
predation; reserves; foraging; daily routine; digestion; starvation; 36
predation risk; bank vole; *Microtus* voles; least weasal; stoat; intra-individual trade-off; reproductive output; 357
predator; prey; stability; top-down effects; trophic structure; bottom-up effects; food chain; functional response; limit cycle; 150
predator-prey systems; diet choice; initial population density; optimal foraging; 407
prey; stability; top-down effects; trophic structure; bottom-up effects; food chain; functional response; limit cycle; predator; 150
protandry; evolutionary stable strategy; mixed strategy; stochastic environment; emergence pattern; butterfly; mate-finding game; accuracy of cue; 503

quantitative genetics; genetic polymorphism; epidemiology; disease; herbivory; 74

reaction-diffusion; plasmid; colicin; competition; migration; 369
recombination; Red Queen hypothesis; sex; co-evolution; gene for gene; pathogens; 560
Red Queen hypothesis; sex; co-evolution; gene for gene; pathogens; recombination; 560
relatedness; altruism; viscous population; kin selection; Hamilton's rule; 70
reproductive investment; life history theory; mortality; age at maturity; growth; 315
reproductive output; predation risk; bank vole; *Microtus* voles; least weasal; stoat; intra-individual trade-off; 357
reserves; foraging; daily routine; digestion; starvation; predation; 36
resource holding potential; beetles; ESS; game theory; agression; 230

salmonid fish; phenotypic plasticity; alternative mating strategies; environmental variability; life history evolution; 256
scale eaters; co-evolution; community structure; food web; ideal free distribution; 628
seed dispersal; avian frugivory; plant-animal interactions; *Anacardiaceae*; southeastern Spain; 618
seed dormancy; sib competition; viscous populations; mother's control; 422 selection; migration rate; population differentiation; drift; 489
selfish DNA; sperm competition; B chromosome; fitness; *Nasonia*; Paternal Sex Ratio; population genetics; 1
senescence; age structure; population demography; microtines; population cycles; 196
sex; *Lepidodactylus*; gecko; parthenogen; 438
sex; co-evolution; gene for gene; pathogens; recombination; Red Queen hypothesis; 560
sexual strategies; floral evolution; *Lupinus sericeus*; male function; pollen dispersal; pollen removal; 542
short-grass steppe; spatial stimulation model; disturbance; long-distance clonal spreading; life history; grazing; barrier island; 172
sib competition; viscous populations; mother's control; seed dormancy; 422
sibmating; inbreeding depression; haplodiploid; inclusive fitness; one-locus genetic; 61

signalling a; *Sitta europaea*; energetic stress; European nuthatch; feather growth; fluctuating asymmetry; intake rate; 248
Sitta europaea; energetic stress; European nuthatch; feather growth; fluctuating asymmetry; intake rate; signalling; 248
social competition; behavioural dominance; coordination; correlated strategy; 221
southeastern Spain; seed dispersal; avian frugivory; plant-animal interactions; Anacardiaceae; 618
spatial model; competition; ecological stencil; epidemic; parasitism; 299
spatial stimulation model; disturbance; long-distance clonal spreading; life history; grazing; barrier island; short-grass steppe; 172
speciation; evolutionary tempo and mode; paleocology; macroevolution; 95
sperm competition; B chromosome; fitness; *Nasonia*; Paternal Sex Ratio; population genetics; selfish DNA; 1
stability; top-down effects; trophic structure; bottom-up effects; food chain; functional response; limit cycle; predator; prey; 150
starvation; predation; reserves; foraging; daily routine; digestion; 36
sticklebacks; mating success; nuptial coloration; parasites; 348
stoat; intra-individual trade-off; reproductive output; predation risk; bank vole; *Microtus* voles; least weasal; 357
stochastic environment; emergence pattern; butterfly; mate-finding game; accuracy of cue; protandry; evolutionary stable strategy; mixed strategy; 503
stochastic risk; mathematical model; optimal plant defence; constitutive defence; induced defence; 288
stolon length; *Cuscuta europaea*; inter-ramet distance; 459

tephritid; Canada thistle; pollen limitation; 188
tidepool copepods; *Tigriopus californicus*; genetic differentiation; extinction; metapopulation; 113
Tigriopus californicus; genetic differentiation; extinction; metapopulation; tidepool copepods; 113
tit for tat; outlaw gene; game theory; inclusive fitness; 431
top-down effects; trophic structure; bottom-up effects; food chain; functional response; limit cycle; predator; prey; stability; 150
Trioxys angelicae; parasitoids; foraging behaviour; mortality risks; *Lysphlebus cardui*; 587
trophic structure; bottom-up effects; food chain; functional response; limit cycle; predator; prey; stability; top-down effects; 150

viscous population; kin selection; Hamilton's rule; relatedness; altruism; 70
viscous populations; mother's control; seed dormancy; sib competition; 422
vole cycles; antipredatory adaptations; mating strategies; delay of breeding; *Clethrionomys glareolus*; 658

war of attrition; migration; ESS; parent-offspring conflict; insect larvae; 269
wing dimorphism; phylogeny; evolution; birds; insects; constraints; flightlessness; 639
Wyeomyia smithii; optimal offspring distribution; oviposition behaviour; pitcher plant; mosquitoes; 493

AUTHOR INDEX

Abrams, P.A., 150, 628, 667
Allmon, W. D., 95
Alstad, D. N., 489
Aström, M., 288, 424

Bednekoff, P. A., 36
Beukeboom, L. W., 1
Bolger, D. T., 438
Boonstra, R., 196
Burrows, M. T., 125

Cabe, P. R., 489
Caraco, T., 299
Carrascal, L. M., 25
Case, T. J., 438
Coffin, D. P., 172

Dean, A. M., 524
Dugatkin, L. A., 431
Dybdahl, M. F., 113
Dykhuizen, D. E., 524

Fagerström, T., 422
Fahrig, L., 172
Farrand III, L., 431
Fincke, O. M., 328
Fitzgerald, G. J., 348
Fournier, M., 348
Frank, S. A., 74, 369
Fryxell, J. M., 407

Grant, P. A., 598

Haccou, P., 269, 503
Hanley, K. A., 438
Harder, L. D., 542
Heard, S. B., 493
Hori, M., 628
Hutchings, J. A., 256

Iwasa, Y., 503

Jermiin, L. S., 471

Kelly, C. K., 459
Korpimäki, E., 357

L'Abée-Lund, J. H., 315
Lalonde, R. G., 188
Lauenroth, W. K., 172
Lockwood, J. L., 53
Lundberg, P., 288, 407

Matsuda, H., 628, 667
Mesterton-Gibbons, M., 230
Morris, D. W., 387
Morrissette, J., 348
Moulton, M. P., 53
Myers, R. A., 256

Nilsson, J.-Å., 248, 422
Norrdahl, K., 357

Parker, M. A., 560
Poiani, A., 471
Pollock, G. B., 221

Queller, D. C., 70
Rey-Benayas, J. M., 331
Roff, D. A., 639
Roitberg, B. D., 188
Ronkainen, H., 658
Roth, J., 150

Scheiner, S. M., 331
Shugart, H. H., 172
Sjerps, M., 269
Szymanski, B., 299

Taylor, P. D., 61
Traveset, A., 618
Tuomi, J., 422

Valkama, J., 357
Vollestad, L. A., 315

Wilkens, R. T., 431
Wilson, D. S., 431
Wilson, W. G., 542

Ylönen, H., 658